


AKARA

W O O D



October 2019

The logo for AKARA WOOD is located in the top right corner. It features the word "AKARA" in a large, bold, white sans-serif font, with the word "WOOD" in a smaller, spaced-out, white sans-serif font directly below it. The text is set against a black rectangular background. Above the black rectangle is a thin horizontal gold line, and to the left of the rectangle is a gold L-shaped graphic element.

AKARA
W O O D

P3 : Charred wood

Possible finishes

P4 : Charred wood - Standard

P5 : Burnt, brushed and colored woods

P6 : Rustic finishing - ANTSI

P7 : Old metal finishing

P8 : Charred hand hewn boards

P9 : Wall panels

P10 : The different models

P34 : Charred wood finish

P36 : Old metal finish

P37 : Hand hewn boards

P40 : Weathered boards

CHARRED WOOD

Our charred woods are proposed for interior and exterior decoration.

Using a particularly product, the CWT (Charred Wood Treatment), specifically developed for charred wood, we are even able to produce charred terrace boards or parquet boards. Several options are possible: gloss or matte finish, glitter, old metal, brushing, colors.



STANDARD CHARRED WOOD PRODUCTS



CHARRED WOOD

BRUSHED

COLORED



ORMES



SIMMO



PENNO



KOIT



ROOMET



TALVI



ROMAN

CHARRED PANELS

ANTSI FINISHING

We graduated an unique process to give to the wood boards a truly rustic finishing.

This finishing, ANTSI, is possible on any wood support, inside or outside.



CHARRED PANELS

OLD METAL FINISH

Application of an oxidized metal finish on a "Light Burnt" surface and brushed.
We perform systematic tests before proposing products for sale. This allows us to offer you suitable solutions.



AMAR-PROOMET
(cuivre oxydé)



AMAR-HOOMER
(bronze oxydé)

CHARRED HAND HEWN BOARDS

Based on hand hewn boards, the model of panels « Vana Kurat » is an extraordinary product giving an intense feeling of authenticity and esthetic. Finishing : 2 layers of CWT.



WALL PANELS

Wooden wall panel is an innovative product for wall decoration. Each panel is unique handmade of various tree species, different length, width and thickness of details, which are combined on the base in a beautiful article, also is available models without base. For base is used OSB Superfinish ECO, which one is developed and manufactured entirely in compliance with the current demand of ecological living focused on organic materials. Surface of panels are a beautiful mix of shades- from gray to brown and from light yellow to black. Some of our panels are made from reclaimed wood, that have been exposed in the rain, sun and wind for hundred year. Just a few square meters of wall covering panels bring your room interior in a memorable accent, and will create the warmth and cosines.

Warning :

These products are natural and were made from old or new woods, thus their surface may not be completely homogeneous in terms of color and finish.

This natural effect is a specificity of our products and can not be considered as a base for future claims.



OLEV

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 15mm-30mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 13kg/m²
Support : no



RUUDI

Type : antique timber

Species : pine, spruce

Shape : rectangular

Dimensions : 720mm x 100mm

Thickness : 24mm

Packaging : 14 pieces per pack
1m² per pack

Packs dimensions :

730mmX110mmX380mm

Weight : 13kg/m²

Support : yes (OSB)



ERNI

Type : antique timber

Species : pine, spruce

Shape : rectangular

Dimensions : 720mm x 100mm

Thickness : 24mm – 29 mm

Packaging : 14 pieces per pack
1m² per pack

Packs dimensions :

730mmX110mmX450mm

Weight : 14kg/m²

Support : yes



MIKK

Type : antique timber

Species : pine, spruce

Shape : rectangular

Dimensions : 720mm x 100mm

Thickness : 20mm – 39 mm

Packaging : 14 pieces per pack
1m² per pack

Packs dimensions :

730mmX110mmX620mm

Weight : 14kg/m²

Support : yes (OSB)



OTT

Type : new timber
Species : oak
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 20mm – 40 mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX560mm
Weight : 19kg/m²
Support : yes (OSB)



TOIVO

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 20mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX290mm
Weight : 8kg/m²
Support : no



ANTS

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 29mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 15kg/m²
Support : yes (OSB)



VIDRIK

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 29mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 15kg/m²
Support : yes (OSB)



JAAK

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 19mm - 29mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 13kg/m²
Support : yes (OSB)



KUSTAS

Type : new timber
Species : oak, black alder, birch
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 19mm - 39mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX470mm
Weight : 18kg/m²
Support : yes (OSB)



TAMBET

Type : new timber
Species : oak, birch
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 19mm - 39mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX470mm
Weight : 18kg/m²
Support : yes (OSB)



IKO

Type : new timber
Species : oak, birch, alder,
ash
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 29mm
Packaging 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX360mm
Weight : 15kg/m²
Support : yes (OSB)



KALEV

Type : new timber
Species : oak, birch, alder,
ash
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 20mm - 30mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX380mm
Weight : 11kg/m²
Support : no



KIUR

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720/360/180mm x 100mm
Thickness : 18mm
Packaging : 24 pieces per pack
1m² per pack
8 pièces par dim.
Packs dimensions :
730mmX110mmX290mm
Weight : 9kg/m²
Support : no



TASUJA

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720/360/180mm x 100mm
Thickness : 20mm
Packaging : 24 pieces per pack
1m² per pack
8 pièces par dim.
Packs dimensions :
730mmX110mmX310mm
Weight : 9kg/m²
Support : no



TUNNE

Type : antique timber
Species : pine, spruce
Shape : Z shape
Dimensions : 650mm x 150mm
Thickness : 30mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
690mmX160mmX350mm
Weight : 8kg/m²
Support : no



VILJA

Type : antique timber
Species : pine, spruce
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 14mm - 29mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 14kg/m²
Support : yes (OSB)



LIIDA

Type : new timber
Species : oak, black alder, ash
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 20mm - 40mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX560mm
Weight : 17kg/m²
Support : yes (OSB)




KALLI

Type : new timber
Species : ash
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 10mm - 20mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
640mmX160mmX220mm
Weight : 10kg/m²
Support : no




LALIITA

Type : new timber
Species : oak
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 19mm - 29mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX360mm
Weight : 16kg/m²
Support : yes (OSB Superfinish ECO)



LISANNE

Type : new timber
Species : oak, ash-tree, black-alder, birch
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 29mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX360mm
Weight : 13kg/m²
Support : yes (OSB Superfinish ECO)






LEVANA

Type : new timber
Species : oak
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 19mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX240mm
Weight : 13kg/m²
Support : yes (OSB Superfinish ECO)




LUENNA

Type : new timber
Species : spruce, pine
Shape : rectangular
Dimensions : 600mm x 150mm
Thickness : 19mm – 29mm
Packaging : 11 pieces per pack
1m² per pack
Packs dimensions :
610mmX160mmX360mm
Weight : 13kg/m²
Support : yes (OSB Superfinish ECO)



LIINEL

Type : new timber
Species : birch
Shape : rectangular
Dimensions : 720mm x 100mm
Thickness : 20mm – 30mm
Packaging : 14 pieces per pack
1m² per pack
Packs dimensions :
730mmX110mmX450mm
Weight : 14kg/m²
Support : yes (OSB Superfinish ECO)



CHARRED FINISH WALL PANELS

3D wall panels strongly charred with 2 layers of CWT finishing.
Such finish is possible for any 3D wall panel model.
Please consult us.





TAKARA
Wood

METAL FINISH

WALL PANELS

Oxidized metal finish on a 3D wall panel.
Finishing possible for any panel model.
Consult us.



INKA-PRIIDE
(cuivre oxydé)



INKA-HERTTA
(bronze oxydé)

HAND HEWN RECLAIMED WOOD BOARDS

To get logs squared by axes is one of the oldest timber processing ways which currently not used anymore. Nevertheless such handcrafted timber is beautiful and unique, completely reflecting time of its creation.

Due to their unique appearance and durability, they can be used as contractual or interior design elements.

These beams and planks usually come from old farm buildings, barns and mills where have been left under the influence of wind, rain and sun for decades. Carefully processed and cleaned with greatest attention to the colour and texture.

Warning :

These products are natural and were made from old or new woods, thus their surface may not be completely homogeneous in terms of color and finish.

This natural effect is a specificity of our products and can not be considered as a base for future claims.

Ref : PVBA

Reclaimed, hand hewn wood boards 1 side planed, 2 sides sawn, brushed.

Thickness : 32mm

Widths : 8cm – 20cm

Lengths : 1m-1,99m / 2,00+m



Ref : PVBB

Weathered, reclaimed hand hewn sun burned wood boards 1 side planed, 2 sides sawn, brushed

Thickness : 32mm

Widths : 10cm+

Lengths : 1m-1,99m / 2,00+m



Ref : PVBC

Reclaimed, hand hewn wood boards with profile, brushed

Thickness : 30mm
Widths : 8cm – 20cm
Lengths : 1m-1,99m / 2,00+m



Ref : PVBD

Reclaimed, hand hewn wood boards 3 side planed, brushed

Thickness : 30mm
Widths : 8cm – 20cm
Lengths : 1m-1,99m / 2,00+m



Ref : PVBE

Weathered, reclaimed hand hewn sun burned wood boards with profile, brushed

Thickness : 30mm
Widths : 10cm+
Lengths : 1m-1,99m / 2,00+m



Ref : PVBF

Weathered, reclaimed hand hewn sun burned wood boards 3 side planed, brushed

Thickness : 32mm
Widths : 10cm+
Lengths : 1m-1,99m / 2,00+m





WEATHERED BOARDS

The climatic conditions and temperature variations have left their mark, leaving deep lines and color variations ranging from light silver to black.

These products are suitable as interior or exterior wall cladding or as ceiling decoration.

Warning

These products are natural and have been made from wood left in the open air, so their surface may not be completely uniform in terms of color and finish. This natural effect is a specificity of our products and can not be considered as a basis for future claims.

Options (contact us)

Sort by color possible for non-brushed boards.

Sorting width or length.

DRYWOOD Woodstain and TEKNOL AQUA 1410-01 treatment

Ref : BRA

Planche en bois de récupération,
traitement UV naturel, 1 face rabotée, 2
côtés sciés, couleurs du gris clair au
marron

Épaisseur : 20mm

Largeurs : 6cm – 20cm

Longueurs : 1m-1,99m / 2,00+m

Séchage 12-18%



Ref : BRB

Planche en bois de récupération,
traitement UV naturel, 1 face rabotée, 2
côtés sciés, 1 face brossée intensément

Épaisseur : 20mm

Largeurs : 6cm – 20cm

Longueurs : 1m-1,99m / 2,00+m

Séchage 12-18%



Ref : BRC

Sun-burned boards with stopgap. Color from light grey till brown.

Thickness : 20mm
Widths : 6cm – 20cm
Lengths : 1m-1,99m / 2,00+m
Drying 12-18%

**Ref : BRD**

Sun-burned boards with stopgap, intensively brushed.

Thickness : 20mm
Widths : 6cm – 20cm
Lengths : 1m-1,99m / 2,00+m
Drying 12-18%

**Ref : BRE**

Sun-burned boards 3 side planed. Color from light grey till brown

Thickness : 20mm
Widths : 6cm – 20cm
Lengths : 1m-1,99m / 2,00+m
Drying 12-18%


**Ref : BRF**

Sun-burned boards 3 side planed, intensively brushed.

Thickness : 20mm
Widths : 6cm – 20cm
Lengths : 1m-1,99m / 2,00+m
Drying 12-18%







AKARA
W O O D

TALLINN
ESTONIA
+372 53 73 84 86

